

**EAST Search History****EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((input\$5 near3 (rgb) near5 (yellow or magenta or cyan)) same ((output\$5 or conver\$5 or transform\$5) near3 (input\$5 or rgb) near5 (((light\$3) adj2 (cyan or magenta)) or lc or lm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 15:51
S2	4	((rgb or (r near3 g near3 b)) near5 (yellow or magenta or cyan)) same ((output\$5 or conver\$5 or transform\$5) near3 (input\$5 or rgb) near5 (((light\$3) adj2 (cyan or magenta)) or lc or lm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 15:51
S3	6	((rgb or (r near3 g near3 b)) near5 (yellow or magenta or cyan)) same ((output\$5 or conver\$5 or transform\$5) near3 (input\$5 or rgb or (r near3 g near3 b)) near5 (((light\$3) adj2 (cyan or magenta)) or lc or lm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 15:52
S4	19	((rgb or (r near3 g near3 b)) near5 (yellow or magenta or cyan)) same ((output\$5 or conver\$5 or transform\$5 or use or using or add or adding or added or introducing\$5) near3 (((light\$3) adj2 (cyan or magenta)) or lc or lm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 15:55
S5	0	((("f=255" or "g=255" or "b=255") or ("R=255" or "G=255" or "B=255")) same ((output\$5 or conver\$5 or transform\$5 or use or using or add or adding or added or introducing\$5) near3 (((light\$3 or low) adj2 (cyan or magenta)) or lc or lm)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:00

S6	0	((("r=255" or "g=255" or "b=255") or ("R=255" or "G=255" or "B=255")) or ("r = 255" or "g = 255" or "b = 255") or ("R = 255" or "G = 255" or "B = 255")) same ((output\$5 or conver\$5 or transform\$5 or use or using or add or adding or added or introduc\$5) near3 (((light\$3 or low) adj2 (cyan or magenta)) or lc or lm)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:01
S7	1	(("255,255,0" or "0,255,255", "255,0,255" or "255, 255, 0" or "0, 255, 255", "255, 0, 255") same ((output\$5 or conver\$5 or transform\$5 or use or using or add or adding or added or introduc\$5) near3 (((light\$3 or low) adj2 (cyan or magenta)) or lc or lm)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:03
S8	7	((input\$5 or value or combination) near5 (yellow or magenta or cyan)) same ((output\$5 or conver\$5 or transform\$5) near3 (input\$5 or rgb or (r near3 g near3 b)) near5 (((light\$3) adj2 (cyan or magenta)) or lc or lm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:09
S9	0	((((max or maximum) near3 (r or red)) same ((max or maximum) near3 (g or green))) same ((output\$5 or conver\$5 or transform\$5) near3 (((light\$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:12
S10	1	((((max or maximum) near3 (r or red)) same ((output\$5 or conver\$5 or transform\$5) near3 (((light\$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:12
S11	2	((((max or maximum or "255") near3 (r or red)) same (((max or maximum or "255") near3 (g or green))) same ((output\$5 or conver\$5 or transform\$5) near3 (((light\$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:13

S12	2	((max or maximum or "255") near3 (r or red) same ((max or maximum or "255") near3 (blue or b or g or green))) same ((output\$5 or conver\$5 or transform\$5) near3 (((light\$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:14
S13	10	((max or maximum or "255") near3 (r or red or green or g or blue or b)) ) same ((output\$5 or conver\$5 or transform\$5) near3 (((light \$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:14
S14	21	((max or maximum or "255" or "256") near3 ((rgb or (r near3 g nera3 b)) or r or red or green or g or blue or b)) ) same ((output\$5 or conver\$5 or transform\$5) near3 (((light \$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:22
S15	351	((max or maximum or "255" or "256") near3 ((rgb or (r near3 g nera3 b)) or r or red or green or g or blue or b)) ) same (((light\$3) adj2 (cyan or magenta)) or lc or lm)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:24
S16	79	S15 and (ymc or cmy or (y near3 c near3 m) or ymck or cmyk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:25
S17	63	((print\$5 or reproduc\$5 or record\$3) near3 (magenta)) same ((dark or normal or regular) near3 (magenta or m)) same (((light\$3 or low or bright) adj2 (cyan)) or lc) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:34
S18	29	S17 and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:35
S19	0	((print\$5 or reproduc\$5 or record\$3) near3 (magenta)) same ((detec\$5 or determin\$5 or judg\$5) near3 magenta) same ((dark or normal or regular) near3 (magenta or m)) same (((light\$3 or low or bright) adj2 (cyan)) or lc) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:39

S20	1	((print\$5 or reproduc\$5 or record\$3) near3 (magenta)) same (conver\$5 or transform\$5) same ((dark or normal or regular) near3 (magenta or m)) same (((light\$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:40
S21	3	((((print\$5 or reproduc\$5 or record\$3 or input\$5 or detect\$5 or determin\$5 or judg\$5) near3 (magenta)) same (conver\$5 or transform\$5) same ((dark or normal or regular) near3 (magenta or m)) same (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:41
S22	0	((((white) near3 (magenta) near3 black) same ((dark or normal or regular) near3 (magenta or m)) same (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:59
S23	35	((((white) near3 (magenta) near3 black) same (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 16:59
S24	59	((((transition\$5 or chang\$5 or mov\$3 or shift\$5) near3 (magenta)) same (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:04
S25	234	((((print\$5) near3 (magenta)) with (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:10
S26	137	((((print\$5) near3 (magenta)) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:10
S27	55	S26 and (((conver\$5 or transform\$5) same (rgb or (near3 g near3 b)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:10

S28	1	((print\$5) near3 (magenta)) near3 (combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:23
S29	68	(magenta near3 (combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:24
S30	20	S29 and ((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:25
S31	6	S29 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:27
S32	0	S29 and "347clas."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:28
S33	30	S29 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:28
S34	87	(magenta near3 (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:30
S35	63	(cyan near3 (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (magenta)) or lm )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:30
S36	32	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:30

S37	3	((dark or regular or normal) adj2 magenta) near3 (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:32
S38	2	((dark or regular or normal) adj2 cyan) near3 (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (magenta)) or lm )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:32
S39	227	((dark or regular or normal) adj2 magenta) near3 (((light \$3 or low or bright) adj2 (cyan)) or lc )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:34
S40	172	((dark or regular or normal) adj2 cyan) near3 (((light\$3 or low or bright) adj2 (magenta) or lm )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:34
S41	72	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:34
S42	7	((dark or regular or normal) adj2 magenta) near3 (((light \$3 or low or bright) adj2 (cyan)) or lc ) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:35
S43	24	((dark or regular or normal) adj2 magenta) same (((light\$3 or low or bright) adj2 (cyan)) or lc ) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:36
S44	11	((dark or regular or normal) adj2 magenta) same (((light\$3 or low or bright) adj2 (cyan)) or lc ) same (mix\$6 or blend \$3 or combin\$5 or superimpos \$5 or superpos\$6 or merg\$3 or together or both) same (setting or option or mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:39

S45	37	((dark or regular or normal adj2 magenta) same (((light\$3 or low or bright) adj2 (cyan) or lc) ) same (mix\$6 or blend \$3 or combin\$5 or superimpos \$5 or superpos\$6 or merg\$3 or together or both) same2 (setting or option or mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:40
S46	188	((conver\$5 or transform\$5) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:45
S47	119	((conver\$5 or transform\$5) same (table or lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:45
S48	0	S47 and (control\$3 adj2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:45
S49	101	((conver\$5 or transform\$5) same (table) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:46
S50	9	((conver\$5 or transform\$5) same (table) same "255" same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:49
S51	15	((conver\$5 or transform\$5) same "255" same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 17:50

S52	15	((conver\$5 or transform\$5) same "255" same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:23
S53	15	((conver\$5 or transform\$5) same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:24
S54	119	((conver\$5 or transform\$5) same ("r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=" or "255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:26
S55	9	((conver\$5 or transform\$5) same ("r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:26

S56	9	((conver\$5 or transform\$5) same ("rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "I=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:27
S57	1	"20020048031".pn. and c with lm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:30
S58	9	((conver\$5 or transform\$5) same ("rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "I=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:32
S59	21	((("rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "I=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (light\$3 adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:32

S60	16	((("rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (cyan or yellow or magenta)) and ((cyan or yellow or magenta) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:46
S61	23	((("rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (cyan or yellow or magenta)) and ((cyan or yellow or magenta) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:50
S62	35	((("rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same (cyan or yellow or magenta)) and ((cyan or yellow or magenta or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 09:54

S63	35	"6,540,327".pn. "6,435,657".pn. "6,256,110".pn. "6,027,196".pn. "5,982,990".pn. "20030179410".pn. "6,132,022".pn. "6,299,285".pn. "5,457,007".pn. "6,786,578".pn. "4,713,701".pn. "6,717,601".pn. "6,592,212".pn. "6,962,404".pn. "6,053,595".pn. "6,509,916".pn. "5,982,990".pn. "7,240,988".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:08
S64	4	S63 and (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or both) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:09
S65	2051	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc) near4 (magenta or M)) or ((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (magenta)) or lm) near4 (cyan or C))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:24
S66	150	S65 and (((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or (low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:25
S67	70	S66 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:27
S68	19	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc) near4 (magenta or M)) same ((print\$3 or reproduc\$4) near2 (magenta or m))) or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:29

		superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (magenta)) or (lm) near4 (cyan or C)) same ((print\$3 or reproduc\$4) near2 (cyan or c)))				
S69	4	S68 and ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) with (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:29
S70	4	S69 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:29
S71	24	(( (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright or reduc\$5) adj2 (cyan)) or lc) near4 (magenta or M)) same ((output\$5 or print\$3 or reproduc\$4) near2 (magenta or m))) or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright or reduc\$5) adj2 (magenta)) or lm) near4 (cyan or C)) same ((output\$5 or print\$3 or reproduc\$4) near2 (cyan or c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:31
S72	17	S71 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:35
S73	39	(( (mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5) adj2 (cyan)) or lc) near4 (magenta or M)) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (magenta or m))) or (((mix\$6 or blend\$3 or combin\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:37

		superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5) adj2 (magenta)) or lm) near4 (cyan or C) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (cyan or c))				
S74	30	S73 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:37
S75	47	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5) adj2 (cyan)) or lc) near4 (yellow or y or magenta or M) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or magenta or M)) or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5) adj2 (magenta)) or lm) near4 (yellow or y or cyan or C) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or cyan or C)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:51
S76	50	S75 or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5) adj2 (yellow)) or ly) near4 (magenta or cyan or m or c)) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (magenta or cyan or m or c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:51

S77	34	S76 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:51
S78	21	S76 and ( (rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("255" or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:54
S79	1	S63 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:56
S80	49	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5 or small) adj2 (cyan)) or lc) near4 (yellow or y or magenta or M)) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or magenta or M)) or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light\$3 or low or bright or reduc\$5 or small) adj2 (magenta)) or lm) near4 (yellow or y or cyan or C)) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or cyan or C)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:56

S81	52	S80 or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light \$3 or low or bright or reduc\$5 or small) adj2 (yellow)) or ly) near4 (magenta or cyan or m or c) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (magenta or cyan or m or c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:57
S82	71	((((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light \$3 or low or bright or reduc\$5) adj2 (cyan)) or lc) ) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or magenta or M)) or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light \$3 or low or bright or reduc\$5) adj2 (magenta)) or lm) ) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (yellow or y or cyan or C)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:58
S83	78	S82 or (((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added or both) near3 (((light \$3 or low or bright or reduc\$5) adj2 (yellow)) or ly) ) same ((record\$3 or output\$5 or print\$3 or reproduc\$4) near2 (magenta or cyan or m or c)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:58
S84	44	S83 and (rgb or (r near3 g near3 b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 10:59

S85	38	((conver\$5 or transform\$5) same (table) same (rgb or (r near3 g near3 b)) same ((ymcklclm or cmykclcm or ymcclclm or ymcklmlc or cmyklmlc or ymcmlmc)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:22
S86	38	((conver\$5 or transform\$5) same (lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymcklclm or cmykclcm or ymcclclm or ymcklmlc or cmyklmlc or ymcmlmc)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:25
S87	2	((conver\$5 or transform\$5) same (lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:27
S88	74	((conver\$5 or transform\$5) same (lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:27
S89	9	((generat\$5 or produc\$5 or creat\$5) near3 (table or lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:42
S90	115	((generat\$5 or produc\$5 or creat\$5) near3 (table or lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc)) or ((ymcklclm or cmykclcm or ymcclclm or ymcklmlc or cmyklmlc or ymcmlmc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:43
S91	115	((generat\$5 or produc\$5 or creat\$5) near3 (table or lut or lookup) same (rgb or (r near3 g near3 b)) same ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc)) or ((ymcklclm or cmykclcm or ymcclclm or ymcklmlc or cmyklmlc or ymcmlmc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:43

S92	30	((general\$5 or produc\$5 or creat\$5) near3 (table or lut or lookup) same (rgb or (r near3 g near3 b))) same ( ((ymck or cmyk or ymc or cmy or (c near3 m near3 y)) near3 (lm) near3 lc) or (ymcklclm or cmyklclm or ymclclm or ymcklmlc or cmyklmlc or ymclmlc) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:45
S93	36	((general\$5 or produc\$5 or creat\$5) near3 (table or lut or lookup) same (rgb or (r near3 g near3 b))) same ( ((lm) near3 lc) or (ymcklclm or cmyklclm or ymclclm or ymcklmlc or cmyklmlc or ymclmlc) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:48
S94	0	"656103".ap. and grain\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:51
S95	3	"656103".ap. and gran\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 11:51
S96	2	"6027196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:08
S97	15	("6027196").URPN.	USPAT	OR	ON	2009/11/13 12:13
S98	2	((("rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "I=" or "g=" or "b=" or "R=" or "G=" or "B=") near3 ("0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255")) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:23

S99	6	(( "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "I=" or "g=" or "b=" or "R=" or "G=" or "B=") near3 ( "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") and (lc or lm or ((low or light\$3) adj2 (cyan or magenta)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:24
S100	9	((red near3 (max or maximum)) same (blue near3 (max or maximum))) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:29
S101	10	((red near3 (saturat\$5 or max or maximum)) same (blue near3 (saturat\$5 or max or maximum))) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:31
S102	2	menberu and (lc or lm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:35
S103	6	menberu and ((light or low) near3 cyan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:36
S104	19	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (cyan)) or lc) near4 (magenta or M) same (grain\$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:38
S105	36	((mix\$6 or blend\$3 or combin\$5 or superimpos\$5 or superpos\$6 or merg\$3 or together or add or adding or added) near3 (((light\$3 or low or bright) adj2 (cyan or magenta)) or lm or lc) near4 (cyan or c or magenta or M) same (grain\$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:40
S106	580	(((((light\$3 or low or bright) adj2 (cyan or magenta)) or lm or lc) near4 (cyan or c or magenta or M) same (grain\$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:42

S107	80	S106 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 12:43
S108	580	((((light\$3 or low or bright) adj2 (cyan or magenta)) or lm or lc) near4 (cyan or c or magenta or M)) same (grain \$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:35
S109	80	S108 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:35
S110	78	((((light\$3 or low or bright) adj2 (magenta)) or lm) near4 ((dark or deep or thick or dens \$5) near3 (cyan or c or magenta or M)) same (grain \$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:40
S111	40	((((light\$3 or low or bright) adj2 (cyan)) or lc) near4 ((dark or deep or thick or dens \$5) near3 (magenta or M)) same (grain\$6 or granula\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:40
S112	81	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("0,1," or "1,0," or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1, 0, 1") same (cyan or yellow or magenta) and ((cyan or yellow or magenta or "0,255,255" or "255,255,0" or "255,0,255" or "0, 255, 255" or "255, 255, 0" or "255, 0, 255") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:53

S113	87	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =") same ("0,1," or "1,0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1, 0, 1") same (cyan or yellow or magenta)) and ((cyan or yellow or magenta or "0,1,1" or "1,1,0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1, 0, 1") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:53
S114	50	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =") same ("0,1," or "1,0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1, 0, 1") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:56
S115	50	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =") same ("0'\$","\$1'\$","\$1" or "1,0" or "1,0,1" or "0, 1, 1" or "1, 1, 0" or "1, 0, 1") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:58
S116	0	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =") same ("0'\$","\$1'\$","\$1" ) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 13:58

S117	29	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("0" near3 "1" near3 "1") same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:00
S118	47	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("0" near3 ("255" or "1") near3 ("255" or "1") ) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:00
S119	12	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("0" near3 ("255" or "1") near3 ("255" or "1") ) same (conver \$5 or transform\$5) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:01
S120	55	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") same ("0" near3 ("256" or "255" or "1") near3 ("256" or "255" or "1") ) same ((ymck or cmyk or ymc or cmy or (y near3 c near3 m)) same (lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:15

S121	101	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") with ("0" near3 ("256" or "255" or "1") near3 ("256" or "255" or "1") ) same ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (lc or lm or ((low or light \$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:20
S122	0	S121 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:20
S123	0	S121 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:20
S124	830	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") with ("0" near3 ("256" or "255" or "1") near3 ("256" or "255" or "1") ) and ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (lc or lm or ((low or light \$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:21
S125	9	S124 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:25
S126	30	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") with ("0" near3 ("2" or "4" or "1" or "8") near3 ("2" or "4" or "1" or "8") ) and ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (lc or lm or ((low or light \$3) adj2 (cyan or magenta))))) and (normaliz\$6 with ("2" or "4" or "1" or "8"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:27

S127	180	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") with ("0" near3 ("2" or "4" or "1" or "8") near3 ("2" or "4" or "1" or "8") ) and ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (l or lm or ((low or light \$3) adj2 (cyan or magenta)))))) and ((max or maximum or normaliz\$6) with ("2" or "4" or "1" or "8"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:28
S128	3	S127 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:28
S129	11	S127 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:29
S130	0	S127 and "101".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:30
S131	943	((rgb or (r near3 g near3 b) or "rgb =" or "RGB =" or "r =" or "g =" or "b =" or "R =" or "G =" or "B =" or "r=" or "g=" or "b=" or "R=" or "G=" or "B=") with ("0" near3 ("2" or "4" or "1" or "8") near3 ("2" or "4" or "1" or "8") ) and ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (l or lm or ((low or light \$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:30
S132	5	S131 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:30

S133	0	((red near3 (max or maximum or "255")) same (blue near3 (max or maximum or "255")) same ((mix\$7 or add\$3 or blend\$5 or overla\$6 or superimpos\$6 or superpos\$6) near3 (lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:33
S134	16	((red near3 (max or maximum or "255")) same (blue near3 (max or maximum or "255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:33
S135	0	((("R=255") same ("B=255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:38
S136	0	((("r=255") same ("b=255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:39
S137	0	((("rgb=255,0,255") same ("RGB=255,0,255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:39
S138	0	((("rgb=255, 0, 255") same ("RGB=255, 0, 255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:40
S139	0	((("rgb=255, 0, 255") same ("RGB=255, 0, 255")) and ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:40
S140	0	((("rgb=255, 0, 255") same ("RGB=255, 0, 255")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:40
S141	0	((("rgb=255" near2 "0" near2 "255") same ("RGB=255, 0, 255")) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:41

S142	0	(( "rgb=255" near2 "0" near2 "255" ) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:41
S143	99	(( ("255" near2 "0" near2 "255" ) same ((lc or lm or ((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:41
S144	39	(( ("255" near2 "0" near2 "255" ) same (((low or light \$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:41
S145	16	(( ("255" near2 "0") same ("255" near2 "255" ) same (((low or light\$3) adj2 (cyan or magenta))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 14:42

**EAST Search History (Interference)**

&lt;This search history is empty&gt;

11/18/09 11:53:11 AM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10656103.111209.wsp